TABLE OF CONTENTS

EXECUTIVE SUMMARY	A-1
INTRODUCTION	1
EXISTING CONDITIONS	2
MAJOR ROADWAYS IN THE STUDY AREA	2
Canal Road	2
Foxhall Road	
Loughboro Road	
MacArthur Boulevard	8
Arizona Avenue	
PUBLIC TRANSPORTATION	
WMATA Route D6 - Sibley Hospital – Stadium-Armory Line	
WMATA Route D5 – MacArthur Boulevard – Georgetown Line	
Route M4 – Nebraska Avenue Line	
Traffic Volumes	
SPEED AND TRAVEL TIMES	
ORIGIN-DESTINATION PATTERNS IN THE STUDY AREA	
Data Collection for Origin-Destination Survey	
Data Processing for Origin-Destination Survey	
Trip Matrices and Findings of Origin-Destination Surveys	
SAFETY	
PARKING	
QUEUES AT CRITICAL INTERSECTIONS	
EXISTING LEVELS OF SERVICE	31
FUTURE CONDITIONS	35
BACKGROUND GROWTH	35
DEVELOPMENT TRAFFIC	
Trip Generation	
TRIP DISTRIBUTION	37
FUTURE LEVELS OF SERVICE	37
ISSUES AND RECOMMENDED IMPROVEMENTS	41
FOXHALL ROAD	41
LOUGHBORO ROAD	53
MACARTHUR BOULEVARD	60
WHITEHAVEN PARKWAY	62
ARIZONA AVENUE	63
RESERVOIR ROAD	68
CANAL ROAD	69
W Street	
OPTIMIZATION OF SIGNALIZED INTERSECTIONS	73
SUMMARY OF FINDINGS AND RECOMMENDATIONS	76

LIST OF FIGURES

FIGURE		
A-1.	Transportation Issues in the Study Area	.A-4
A-2.	Recommended Improvements	.A-5
1.	Study Area	3
2.	Lane Configurations and Traffic Control	4
3.	Narrow Sidewalk Along Foxhall Road	6
4.	Two-Lane Section of Loughboro Road Used as a Four-Lane Section	7
5.	Loughboro Road Westbound Approach to MacArthur Boulevard	7
6.	Generalized Land Use Map	9
7.	Mass Transit Service	10
8.	2001 Existing Traffic Volumes	13
9.	Speed and Travel Times During the AM Peak Period	15
10.	Speed and Travel Times During the PM Peak Period	16
11.	License Plate Survey Locations for Origin-Destination Study	18
12.	AM Peak Hours (7:00 AM – 9:00 AM) License Plate Survey Results	22
13.	PM Peak Hours (4:00 PM – 6:00 PM) License Plate Survey Results	26
14.	Parking Restrictions and Utilization on Critical Corridors	30
15.	Observed Queues at Critical Intersections	32
16.	Existing Levels of Service	33
17.	Forecast One-Year Traffic	38
18.	Facing East on Canal Road at Foxhall Road	42
19.	Southbound Foxhall Road Near Q Street	43
20.	Existing Geometry of Reservoir and Foxhall Road	46
21.	Proposed Geometry of Reservoir and Foxhall Road – Option 2A	47
22.	Proposed Geometry of Reservoir and Foxhall Road – Option 2B	49
23.	Foxhall Road and Whitehaven Parkway, N.W. (1)	51
24.	Typical Section – Recommended Pavement Striping – Loughboro Road	56
25.	Proposed Improvements at MacArthur Boulevard and Loughboro Road	58
26.	Loughboro Road Approaching MacArthur Boulevard	59
27.	MacArthur Boulevard and U Street	61
28.	Typical Section – Arizona Avenue Recommended Sidewalk	65
29.	Pedestrian Path from Arizona Avenue to Capital Crescent Trail	67
30.	DO NOT ENTER Sign on Reservoir Road Approaching Canal Road	68
31.	Signs on Clark Place	71
32.	Proposed Lane Control Signals for Arizona Avenue and Canal Road	72
33.	Transportation Issues in the Study Area	
34.	Recommended Improvements	78

LIST OF TABLES

TAL	<u>BLE</u>	
1.	Average Travel Speed at Selected Segments	14
2.	Origin-Destination Trips During the AM Peak Hours (7:00 AM – 9:00 AM)	20
3.	Origin-Destination Trips During the AM Peak Hours (7:00 AM – 9:00 AM)	
	As Percentage of Exit Volumes	21
4.	Palisades Traffic Impact Study Origin-Destination Trips During the	
	PM Peak Hours (4:00 – 6:00 PM)	23
5.	Palisades Traffic Impact Study Origin-Destination Trips During the	
	PM Peak Hours (4:00 – 6:00 PM) As Percentage of Exit Volumes	24
6.	Summary of Accident Data	27
7.	Field School Trip Generation	35
8.	GWU Trip Generation	36
9.	Mayor's Mansion Trip Generation	36
10.	St. Patrick's Trip Generation	37
11.	Total Study Area Trip Generation	37
12.	Levels of Service, Existing vs. No Build Condition	39
13.	Future Levels of Service with Background and Site Traffic and Improvements	40
14.	Comparison of Levels of Service for Option 2B – Optimized and Non-	
	optimized Conditions	48
15.	Levels of Service on Foxhall and Loughboro Roads with and without	
	Long-Term Improvements	53
16.	Canal Road and Arizona Avenue	66
17.	Comparison of One-year Optimized Network vs. Non-optimized Network	74

LIST OF APPENDICES

APPENDIX

- A. **Bus Routes and Timetables** B. Traffic Count Data C. Recorded Speeds for Studied Segments in the Study Area Unadjusted Origin-Destination Matrices From the Origin-Destination D. Study Accident Data E. Description of Level of Service for Signalized and Unsignalized F. Intersections G. Future Volumes Signal Warrant Analysis Worksheets H. Georgetown Improvements I.
- J. AM Peak Optimized Timings
 K. PM Peak Optimized Timings
 L. Community Participants
 M. Community Comments
- N. Scope of Work
- O. Preliminary Planning Cost Estimate

EXECUTIVE SUMMARY

In response to citizens' concerns, the District of Columbia Department of Transportation (DDOT) has conducted a study evaluating traffic conditions in the Palisades, Foxhall and Wesley Heights areas of the District. The consulting firm DMJM+HARRIS (Consultant) conducted the study with assistance from DDOT staff.

The main goals of the study were to assess existing traffic conditions in the study area and make recommendations to improve mobility, traffic safety, compliance with speed limit regulations and pedestrian safety. The study area consists of the following five corridors and their surrounding residential neighborhoods:

- Canal Road from Key Bridge to the Maryland line
- Foxhall Road from Canal Road to Loughboro Road
- MacArthur Boulevard from Foxhall Road to Loughboro Road
- Loughboro Road from MacArthur Boulevard to Foxhall Road
- Arizona Avenue from Canal Road to Loughboro Road

The study was conducted with assistance from the area residents. The area residents provided valuable input that was used in the evaluation of existing conditions and the development of improvement options.

The study was conducted between the months of November, 2001 and March, 2002. This report summarizes the assessment of existing conditions, presents an evaluation of proposed improvements and describes the improvements that are recommended for implementation.

The Study Team conducted an extensive data collection and performed multiple field evaluations to assess existing conditions, forecast future conditions and develop recommended improvements.

The recommendations in this study are intended to address transportation needs of the studied arterials and thereby reduce the amount of cut-through traffic on residential streets. However, if the recommended measures, including several instances of traffic calming, do not reduce cut-through traffic, DDOT will revisit the residential streets and implement additional traffic calming measures where necessary.

The main findings of the study are the following:

- The five major travel corridors in the study area are Canal Road, Foxhall Road, Loughboro Road, MacArthur Boulevard and Arizona Avenue.
- Mass transit service is provided by four WMATA bus routes. These routes travel on MacArthur, Arizona Avenue and Loughboro Road.

- Canal Road is the roadway in the study area with the largest traffic volumes. Foxhall Road carries over 16,000 two-way daily vehicles. This is a large number of vehicles for a two-lane road.
- Vehicles exceeding the speed limit is a significant problem in the study area. Vehicles frequently drive at speeds more than 10 miles per hour over the speed limit on Canal Road, Foxhall Road and MacArthur Boulevard.
- Most of the vehicles that enter the study area during the peak periods are destined to locations outside the study area. Less than 12 percent of the vehicles that enter the study area during the peak periods are destined to locations in the study area.
- The most used route to traverse the study area is used by vehicles entering the Clara Barton Parkway and exiting via the Whitehurst Freeway.
- Roads in the study area are being used for commute trips from Virginia origins to Virginia destinations. For example, 12 percent of the vehicles traveling to Virginia via the Key Bridge during the AM peak period enter the study area via Chain Bridge.
- The intersections with the highest number of accidents in the last three years are Canal Road and Arizona Avenue, Canal Road and Foxhall Road and Canal Road and Foxhall Road and Reservoir Road. The high number of accidents on Canal Road can be attributed in part the reversible lane operation and the high speeds at which vehicles travel on this road.
- Parking availability appears to be adequate throughout the study area. Parking
 utilization appears to be high enough to preclude corridor-wide elimination of
 parking to increase the capacity of the critical corridors in the area. However,
 elimination it is possible to eliminate parking at selected locations to improve
 operations at key intersections.
- There are several intersections in the study area operating at undesirable levels of service ((LOS) E and F during the AM and PM peak hours. The intersections operating with the longest delays during either the AM or PM peak hours are Chain Bridge and Canal Road, Canal Road and Arizona Avenue, Canal Road and Foxhall Road, Canal Road and Whitehurst Freeway, Foxhall Road and Reservoir Road, Loughboro Road and Arizona Avenue.
- Background in traffic growth and the construction of new developments will
 further deteriorate traffic conditions in the study area if no improvements are
 implemented. Some of the intersections that are currently operating at acceptable
 levels of service, such as Foxhall Road and Whitehaven Parkway, are expected to
 operate at LOS F if no improvements are implemented.

The study team used the data collected for the study, the field evaluations and input from the citizens to develop a comprehensive list of transportation issues in the study area. These issues are summarized in Figure A-1. The Study Team developed preliminary improvements to address the issues noted in Figure A-1. The Study Team developed preliminary improvements, evaluated these improvements and developed a set of final recommendations. The recommended improvements, summarized in Figure A-2 are classified as short-term, mid-term or long-term. Short-Term improvements are those that can be implemented within a one-year time period. Mid-Term and Long Term improvements are those that can be implemented within five and ten year timeframes.



